



RIB

PROTECTORS

TM

CATALOGUE 2024

JECKO RIB PROTECTORS
VERSION FROM 1ST AUGUST

TECHNOLOGY

J-FLEX technology was designed to create safety devices in the sports sector and karting world. JECKO has deployed economic resources and approximately 24 months from the first laboratory tests to the final patenting phase to obtain it.

J-FLEX is a “sandwich” of hi-tech materials. This technology, characterized by a carbon fiber core completely embedded in rubber material, determines a product that has at the same time high impact resistance and extreme flexibility.

The new RIB-PROTECTOR product line by JECKO made with the new J-FLEX technology is used in the karting world to protect drivers while driving.

J•FLEX CARBON



**IT WILL BE A SECOND
SKIN FOR YOU**

PRODUCT FEATURES



ERGONOMIC

ERGONOMIC

Each element that makes up the rib protector has been designed taking into account ergonomics for use and wearability.



ANTI VIBRATION

ANTI VIBRATION

The elasticity of the body reduces the vibrations that the seat transmits to the driver.



BREATHABLE PADDING

BREATHABLE PADDING

Studied and designed to cushion stress during driving and improve breathability especially in high temperature conditions in order to guarantee the best comfort for the rider.



ANTI ABRASION

ANTI ABRASION

The external film that covers the rib protector is tested to be used in conditions of high stress due to rubbing.



PRODUCT FEATURES



ULTRA SLIM

ULTRA SLIM

The in-depth study of the torso anatomy combined with J-FLEX technology has allowed JECKO technicians to create a product with an ultra-compact design. All the accessories that make up the rib protector have been designed with this philosophy.



ULTRA LIGHT

ULTRA LIGHT

The use of a cutting-edge material such as carbon fiber to create the core of the body and front has allowed us to reduce its weight to a minimum.



UNIQUE PIECE

UNIQUE PIECE

The molding technology developed by JECKO, currently in the patent phase, has allowed the creation of an object with unique characteristics of comfort, safety and design.



HIGH QUALITY MATERIAL

HIGH QUALITY MATERIAL

To obtain a unique product, hi-tech materials have been used.



ANTI SPLINTER

ANTI SPLINTER

J-FLEX technology allows the carbon fiber to be coated, protecting the rider from possible splinters in case of impact breakage.



RACING THE FUTURE



FIA STANDARD 8870-2018





EASY FASTENING DEVICE



STUDIED IN EVERY DETAIL

FITTING

1ST AND UNIQUE RIB PROTECTOR.
THE SHIELD CAN BE WORN INTERNALLY
OR EXTERNALLY TO THE BODY




CHARTS

JK1

| CATEGORY | CODE | SIZE | FIA SIZE | DESCRIPTION | PRICE |
|----------|-----------|------|-------------|-----------------------------------------|----------|
| KID | JK1XXS134 | XXS | 1160 - 1340 | JK1 XXS FIA 1160-1340 S0 H.KBP.015.24-A | € 480,00 |
| | JK1XS152 | XS- | 1340 - 1520 | JK1 XS FIA 1340-1520 S1- H.KBP.015.24-A | |
| | JK1XS170 | XS | 1520 - 1700 | JK1 XS FIA 1520-1700 S1 H.KBP.015.24-A | |
| | JK1S152 | S- | 1340 - 1520 | JK1 S FIA 1340-1520 S1- H.KBP.015.24-A | |
| | JK1S170 | S | 1520 - 1700 | JK1 S FIA 1520-1700 S1 H.KBP.015.24-A | |

| CATEGORY | CODE | SIZE | FIA SIZE | DESCRIPTION | PRICE |
|------------|-------------|------|----------------------------------------|-----------------------------------------|----------|
| MAN | JK1SMS1170 | SM- | 1520 - 1700 | JK1 SM- FIA 1520-1700 S1 H.KBP.015.24-A | € 500,00 |
| | JK1SMS2188 | SM | 1700 - 1880 | JK1 SM FIA 1700-1880 S2 H.KBP.015.24-A | |
| | JK1MS1170 | M | 1520 - 1700 | JK1 M FIA 1520-1700 S1 H.KBP.015.24-A | |
| | JK1MS2188 | | 1700 - 1880 | JK1 M FIA 1700-1880 S2 H.KBP.015.24-A | |
| | JK1LS2170 | L | 1520 - 1700 | JK1 L FIA 1520-1700 S1 H.KBP.015.24-A | |
| | JK1LS2188 | | 1700 - 1880 | JK1 L FIA 1700-1880 S2 H.KBP.015.24-A | |
| | JK1XLS2170 | XL | 1520 - 1700 | JK1 XL FIA 1520-1700 S1 H.KBP.015.24-A | |
| JK1XLS2188 | 1700 - 1880 | | JK1 XL FIA 1700-1880 S2 H.KBP.015.24-A | | |

| SIZE | CIRCUNFERENCE | | WEIGHT GR. | HEIGHT SHELL L2 | | HEIGHT CHEST L3 | | FIA SIZE | | | |
|----------------------|---------------|----------------|---------------|--------------------|------|--------------------|------|-----------|-----------|-----------|-----------|
| | CM | INCH | | CM | INCH | CM | INCH | 1160-1340 | 1340-1520 | 1520-1700 | 1700-1800 |
| SIZE CHEST PROTECTOR | | | | | | | | | | | |
| XXS | 60/68 CM | 23.6/26.8 INCH | 590 | 11,5 | 4.5 | 17 | 6.7 | X | | | |
| XS- | 68/75 CM | 26.8/29.5 INCH | 700 | 12,5 | 4.9 | 19 | 7.5 | | X | | |
| XS | 68/77 CM | 26.8/30.3 INCH | 820 | 14,5 | 5.7 | 22 | 8.7 | | | X | |
| S- | 75/84 CM | 29.5/33.1 INCH | 780 | 12,5 | 4.9 | 19 | 7.5 | | X | | |
| S | 75/86 CM | 29.5/33.9 INCH | 900 | 14,5 | 5.7 | 22 | 8.7 | | | X | |
| SM- | 80/89 CM | 31.5/35.0 INCH | 800 | 14,5 | 5.7 | 22 | 8.7 | | | X | |
| SM | 80/91 CM | 31.5/35.8 INCH | 1000 | 15,5 | 6.1 | 24,5 | 9.6 | | | | X |
| M | 85/94 CM | 33.5/37.0 INCH | 900 | 15,5 | 6.1 | 22 | 8.7 | | | X | |
| | 85/96 CM | 33.5/38.6 INCH | 1050 | 15,5 | 6.1 | 24,5 | 9.6 | | | | X |
| L | 92/101 CM | 36.2/39.8 INCH | 970 | 15,5 | 6.1 | 22 | 8.7 | | | X | |
| | 92/103 CM | 36.2/40.6 INCH | 1120 | 15,5 | 6.1 | 24,5 | 9.6 | | | | X |
| XL | 102/111 CM | 40.2/43.7 INCH | 1120 | 15,5 | 6.1 | 22 | 8.7 | | | X | |
| | 102/113 CM | 40.2/44.5 INCH | 1270 | 15,5 | 6.1 | 24,5 | 9.6 | | | | X |



RACING THE FUTURE

JRIBO




CHARTS

| CATEGORY | CODE | SIZE | DESCRIPTION | PRICE |
|----------|------------|------|---------------------|----------|
| KID | 2000101XXS | XXS | JECKO JRIB SIZE XXS | € 270,00 |
| | 2000101XS- | XS- | JECKO JRIB SIZE XS- | |
| | 2000101S- | S- | JECKO JRIB SIZE S- | |

| CATEGORY | CODE | SIZE | DESCRIPTION | PRICE |
|----------|-----------|------|---------------------|----------|
| MAN | 200010SM | SM- | JECKO JRIB SIZE SM- | € 290,00 |
| | 2000102M | M | JECKO JRIB SIZE M | |
| | 2000102L | L | JECKO JRIB SIZE L | |
| | 2000102XL | XL | JECKO JRIB SIZE XL | |

| SIZE | CIRCUMFERENCE CHEST | | WEIGHT GR. | HEIGHT SHELL L2 | |
|------|---------------------|----------------|---------------|--------------------|------|
| | CM | INCH | | CM | INCH |
| XXS | 60/68 CM | 23.6/26.8 INCH | 460 | 11,5 | 4.5 |
| XS- | 68/77 CM | 26.8/30.3 INCH | 530 | 12,5 | 4.9 |
| S- | 75/86 CM | 29.5/33.9 INCH | 600 | 12,5 | 4.9 |
| SM- | 80/91 CM | 31.5/35.8 INCH | 610 | 14,5 | 5.7 |
| M | 85/96 CM | 33.5/37.8 INCH | 700 | 15,5 | 6.1 |
| L | 91/103 CM | 36.2/40.6 INCH | 770 | 15,5 | 6.1 |
| XL | 102/113 CM | 40.2/44.5 INCH | 920 | 15,5 | 6.1 |

JRIB



The logo features a stylized icon of a rib protector, consisting of three overlapping, rounded rectangular shapes. To the right of this icon, the word "JECKO" is written in a bold, black, sans-serif font. Below "JECKO", the words "RIB PROTECTORS" are written in a smaller, black, sans-serif font.

JECKO
RIB PROTECTORS

TM

VIA MAESTRI DEL LAVORO, 24
33080 FIUME VENETO (PN) ITALIA

info@jeckoracing.com